



Notified body No. 1478
LIGNOTESTING, a.s.
Product certification body

Technická 5, 821 04 Bratislava 2, Slovak Republic



Certificate of constancy of performance

1478-CPR-0161

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), as amended, this certificate applies to the construction product

Wood-based panels for use in construction

Laminated fire resistant board
P2 particleboard with added flame retardant
Thickness range from 18 mm to 38 mm
(EN 312, table 1 and 3)

Product parameters: reaction to fire (class B-s1,d0)

Intended use: for internal use as non-structural components in dry conditions with performance characteristics according to EN 13986: 2004 + A1: 2015, paragraph 4.4, table 4

placed on the market under the name or trade mark of

Woodeco sp. z o. o.
ul. Strzegomska 42AB, 53-611 Wrocław, Republic of Poland

and produced in the manufacturing plant

Woodeco Grajewo sp. z o. o.
ul. Wiórowa 1, 19-203 Grajewo, Republic of Poland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986: 2004 + A1: 2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 9 August 2024 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Bratislava, 9 August 2024

Ing. Tatiana Fačková
Head of the Notified body No. 1478